

StayBright - MSDS

Material Safety Data Sheet

We provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose.

We makes no representations, or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, we will not be responsible for damages resulting from the use of or reliance upon this information.

Section I – Identification

Product: Stay Bright™ Tale Home Whitening Enhancer (Paint-On)- (1/2 oz bottle Part 300055) (1/4 oz bottle Part 300056)

Section II - Hazardous Components

(Specific Chemical Identity: Common Name(s):	Common Name	OSHA PEL	ACG H TLV	Other	%
Ethyl Alcohol (95%)		1000 ppm	1000 pmm		70-80
Urea Peroxide		NE	NE		8%

The following components, present at a concentration of > or = 0.1%, are listed as carcinogens or potential carcinogens be either the national Toxicology Program (NTP), the International Agency for Research on Cancer

(IARC) or OSHA: Not Applicable

HMISHAZARD RATING: Acute Health=1, Fire=3, Reactivity=0

(Least=0 Slight=1 Moderate=2 High=3 Extreme=4)

Section III – Physical/Chemical Characteristics

Boiling Point: 182° C at 20 mmHg	Specific Gravity (H₂O-1): 0.94-1.2	IMO Hazard Class: NA
Vapor Pressure (mm Hg): 0.33 Po. at 50° C	Melting Point: N/A	Packaging Group: NA
Vapor Density (Air=1): NA	Evaporation Rate: NA	EMS Number:
Solubility in Water: COMPLETE	Appearance and Odor: Light clear gel, odorless	MFAG Number:

Section IV – Fire And Explosion Hazard Data

Flash Point (Method used): 89° F	Flammable Limits:	LEL: NA	UEL: NA
Extinguishing Media: Waterspray, all-purpose dry chemical, CO ₂ .			
Special Fire Fighting Procedures:			
FLAMMABLE/COMBUSTIBLE material May be ignited by heat, sparks and flame. Vapors may travel to a source of ignition and flash back. Container may explode in heat or fire. Fires may produce irritating or poisonous fumes. Self-contained breathing apparatus and protective clothing should be worn when fighting chemical fires. Move containers from fire area if it can be done without risk. Cool containers that are exposed to flames with water from the side until well after fire is out. Runoff to sewer may create fire or explosion hazard.			
Unusual Fire and Explosion Hazards: NONE			

--

Section V – Reactivity Data

Stability:

Unstable: Stable: X

Conditions to Avoid: Prolonged exposure to temperatures above 30 C (85F)

Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents.

Hazardous Decomposition or Byproducts: None known

Hazardous Polymerization: May Occur: Will Not Occur: X

Conditions to Avoid: Extreme heat

Section VI Health Hazard Data

Route(s) of Entry:	Eye?	Skin?	Ingestion?
	Flush immediately with copious amounts of water for 15 minutes; consult physician if irritation or disturbance in vision occur.	Flush with water for 15 minutes; consult physician in case of lasting noticeable skin response.	If substantial quantities are involved, or in case of noticeable discomfort, drink large quantities of water and consult physician immediately.
POTENTIAL HEALTH EFFECTS			
<p>EYE CONTACT: Causes severe eye irritation</p> <p>SKIN CONTACT: May cause severe skin irritation and defatting of the skin with repeated or prolonged contact.</p>			

INGESTION: Prolonged or excessive ingestion may cause central nervous system depression. May cause nausea, vomiting and diarrhea if injected in large amounts.

INHALATION: Causes respiratory tract irritation. Over exposure to high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma.

Emergency and First Aid Procedures:

Section VII- Precautions For Safe Handling And Use

Steps To Be Taken In Case Material is Released or Spilled: Wash with copious amounts of water.

Waste Disposal Method: Any disposal practice must be in compliance with local, state, and federal laws and regulations (contact local state environmental agency for specific rules). Do not dump into sewers, any body of water or onto the ground.

Precautions To Be Taken In Handling and Storing: Avoid storage at elevated temperatures. Store in a tightly closed container in a cool, dry, well-ventilated area.

Other Precautions:

Section VIII-Control Measures

Respiratory Protection (Specify Type): Avoid exposure to heat.

Ventilation

Local Exhaust: N/A **Mechanical (General):** N/A

Special: N/A **Other:** N/A

Protective Gloves and Eye Protection: In processing and packaging operations, the use of safety goggles and rubber gloves is recommended.

Other Protective Clothing or Equipment: Not required if handled with caution

Work Hygienic Practices: Aseptic procedures

Section XIII-Transportation

DOT Classification: Consumer Commodity ORM-D

Section IX- Regulatory Information

RCRA (40 CFR 261, Subpart D): This product exhibits the hazardous waste characteristic of ignitability (flashpoint 80F).

CLEAN WATER ACT: NA

CLEAN AIR ACT: Contains ethyl alcohol that is a Section 111 material

SARA: Sections 301-304 (Threshold planning quantity- TPQ) 40 CFR 355: No TPQ for any component.

SECTION 313 (Toxic chemical release reporting) 40 CFR 372: The following chemicals must be reported under SARA 313: Not applicable

CERCLA: NA

New Jersey Right to Know Hazardous Substance List: This product contains the following components subject to reporting requirements: Ethyl Alcohol, urea peroxide

Pennsylvania Hazardous Substance List:

This product contains the following components subject to reporting requirements: Ethyl Alcohol

Massachusetts Substance List:

This product contains the following components subject to reporting requirements: Ethyl Alcohol

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product contains the following components subject to reporting requirements: None

Canada: Workplace Hazardous materials information System (WHMIS)- listed material. This product contains the following components subject to reporting requirements: Ethyl Alcohol